

## REFERENCES

- Baldry, I. K. *et al* (2002). The 2dF Galaxy Redshift Survey: Constraints on Cosmic Star Formation History from the Cosmic Spectrum. *ApJ*, 569, 582–594.
- Barnes, J. E. (2004). Shock-induced star formation in a model of the Mice. *MNRAS*, 350, 798–808.
- Berlind, A. A., Blanton, M. R., Hogg, D. W., Weinberg, D. H., Davé, R., Eisenstein, D. J., and Katz, N. (2004). Interpreting the relationship between galaxy luminosity, color and environment. *ApJ*, submitted (astro-ph/0406633).
- Bernardi, M. *et al* (2003a). Early-type galaxies in the Sloan Digital Sky Survey. I. The sample. *AJ*, 125, 1817–1848.
- Bernardi, M. *et al* (2003b). Early-type galaxies in the Sloan Digital Sky Survey. II. Correlations between observables. *AJ*, 125, 1849–1865.
- Bernardi, M. *et al* (2003c). Early-type galaxies in the Sloan Digital Sky Survey. III. The fundamental plane. *AJ*, 125, 1866–1881.
- Blanton, M. R. (2003). A simple model for the clustering of subhalos as a function of mass. *ApJ*, submitted (astro-ph/0304315).
- Blanton, M. R., Brinkmann, J., Csabai, I., Doi, M., Eisenstein, D. J., Fukugita, M., Gunn, J. E., Hogg, D. W., and Schlegel, D. J. (2003). Estimating fixed-frame galaxy magnitudes in the SDSS. *AJ*, 125, 2348–2360.
- Blanton, M. R., Eisenstein, D. J., Hogg, D. W., Schlegel, D. J., and Brinkmann, J. (2005a). Relationship between environment and the broad-band optical properties of galaxies in the SDSS. *ApJ*, in press (astro-ph/0310453).
- Blanton, M. R. *et al* (2003a). The broadband optical properties of galaxies with redshifts  $0.02 < z < 0.22$ . *ApJ*, 594, 186–207.
- Blanton, M. R. *et al* (2003b). The galaxy luminosity function and luminosity density at redshift  $z = 0.1$ . *ApJ*, 592, 819–838.
- Blanton, M. R. *et al* (2004). NYU-VAGC: a galaxy catalog based on new public surveys. *AJ*, in press (astro-ph/0410166).
- Blanton, M. R. *et al* (2005b). The properties and luminosity function of extremely low luminosity field galaxies. *ApJ*, submitted (astro-ph/0410164).
- Brinchmann, J., Charlot, S., White, S. D. M., Tremonti, C., Kauffmann, G., Heckman, T., and Brinkmann, J. (2004). The physical properties of star-forming galaxies in the low-redshift Universe. *MNRAS*, 351, 1151–1179.
- Carlberg, R. G. *et al* (2000). Caltech faint galaxy redshift survey. xi. the merger rate to redshift 1 from kinematic pairs. *ApJ*, 532, L1–L4.

- Carlberg, R. G., Pritchet, C. J., and Infante, L. (1994). A survey of faint galaxy pairs. *ApJ*, 435, 540–547.
- Conselice, C. J., Bershadsky, M. A., Dickinson, M., and Papovich, C. (2003). A direct measurement of major galaxy mergers at  $z < \sim 3$ . *AJ*, 126, 1183–1207.
- Eisenstein, D. J. *et al* (2001). Spectroscopic target selection for the Sloan Digital Sky Survey: The Luminous Red Galaxy Sample. *AJ*, 122, 2267–2280.
- Eisenstein, D. J. *et al* (2003). Average spectra of massive galaxies in the SDSS. *ApJ*, 585, 694–713.
- Eisenstein, D. J. *et al* (2005). Detection of the baryon acoustic peak in the large-scale correlation function of SDSS Luminous Red Galaxies. *ApJ*, submitted (astro-ph/0501171).
- Gizis, J. E., Reid, I. N., and Hawley, S. L. (2002). The Palomar/MSU Nearby Star Spectroscopic Survey III: Chromospheric activity, M dwarf ages, and the local star formation history. *AJ*, 123, 3356–3369.
- Glazebrook, K. *et al* (2003). The Sloan Digital Sky Survey: The cosmic spectrum and star formation history. *ApJ*, 587, 55–70.
- Hogg, D. W. (1999). Distance measures in cosmology. *astro-ph/9905116*.
- Hogg, D. W., Baldry, I. K., Blanton, M. R., and Eisenstein, D. J. (2002a). The  $K$  correction. *astro-ph/0210394*.
- Hogg, D. W., Eisenstein, D. J., Blanton, M. R., Bahcall, N., Brinkmann, J., Gunn, J. E., and Schneider, D. P. (2005). Cosmic homogeneity demonstrated with luminous red galaxies. *ApJ*, in press (astro-ph/0411197).
- Hogg, D. W., Eisenstein, D. J., Blanton, M. R., Bahcall, N. A., Brinkmann, J., Gunn, J. E., and Schneider, D. P. (2005a). Cosmic homogeneity demonstrated with luminous red galaxies. *ApJ*, 624, 54–58.
- Hogg, D. W. *et al* (2002b). The luminosity density of red galaxies. *AJ*, 124, 646–651.
- Hogg, D. W. *et al* (2003). The overdensities of galaxy environments as a function of luminosity and color. *ApJ*, 585, L5–L9.
- Hogg, D. W. *et al* (2004). The dependence on environment of the color–magnitude relation of galaxies. *ApJ*, 601, L29–L32.
- Hogg, D. W., Finkbeiner, D. P., Schlegel, D. J., and Gunn, J. E. (2001). A photometricity and extinction monitor at the Apache Point Observatory. *AJ*, 122, 2129–2138.
- Hogg, D. W., Tremonti, C. A., Blanton, M. R., Finkbeiner, D. P., Padmanabhan, N., Quintero, A. D., Schlegel, D. J., and Wherry, N. (2005b). Mid-infrared and visible

- photometry of galaxies: Anomalously low polycyclic aromatic hydrocarbon emission from low-luminosity galaxies. *ApJ*, 624, 162–167.
- Hoyle, F., Rojas, R. R., Vogeley, M. S., and Brinkmann, J. (2005). The Luminosity Function of Void Galaxies in the Sloan Digital Sky Survey. *ApJ*, 620, 618–628.
- Hoyle, F., Vogeley, M. S., Gott, J. R. I., Blanton, M., Tegmark, M., Weinberg, D. H., Bahcall, N., Brinkmann, J., and York, D. (2002). Two-dimensional topology of the Sloan Digital Sky Survey. *ApJ*, 580, 663–671.
- Kauffmann, G., White, S. D. M., Heckman, T. M., Ménard, B., Brinchmann, J., Charlot, S., Tremonti, C., and Brinkmann, J. (2004). The environmental dependence of the relations between stellar mass, structure, star formation and nuclear activity in galaxies. *MNRAS*, pages 314–??.
- Kaufman, M., Brinks, E., Elmegreen, B. G., Elmegreen, D. M., Klarić, M., Struck, C., Thomasson, M., and Vogel, S. (1999). The interacting galaxies NGC 2C5394/5395: A post-ocular galaxy and its ring/spiral companion. *AJ*, 118, 1577–1608.
- Lupton, R., Blanton, M. R., Fekete, G., Hogg, D. W., O’Mullane, W., Szalay, A., and Wherry, N. (2004). Preparing red-green-blue images from ccd data. *PASP*, 116, 133–137.
- Martin, D. C. *et al* (2005). The Galaxy Evolution Explorer: A space ultraviolet survey mission. *ApJ*, 619, L1–L6.
- Murali, C., Katz, N., Hernquist, L., Weinberg, D. H., and Davé, R. (2002). The Growth of Galaxies in Cosmological Simulations of Structure Formation. *ApJ*, 571, 1–14.
- Padmanabhan, N., Seljak, U., Strauss, M. A., Blanton, M. R., Kauffmann, G., Schlegel, D. J., Tremonti, C., Bahcall, N. A., Bernardi, M., Brinkmann, J., Fukugita, M., and Ivezić, Ž. (2004). Stellar and dynamical masses of ellipticals in the Sloan Digital Sky Survey. *New Astronomy*, 9, 329–342.
- Patton, D. R., Carlberg, R. G., Marzke, R. O., Pritchett, C. J., da Costa, L. N., and Pellegrini, P. S. (2000). New techniques for relating dynamically close galaxy pairs to merger and accretion rates: Application to the Second Southern Sky Redshift Survey. *ApJ*, 536, 153–172.
- Patton, D. R., Pritchett, C. J., Yee, H. K. C., Ellingson, E., and Carlberg, R. G. (1997). Close Pairs of Field Galaxies in the CNOC1 Redshift Survey. *ApJ*, 475, 29–??.
- Pope, A. C. *et al* (2004). Cosmological Parameters from Eigenmode Analysis of Sloan Digital Sky Survey Galaxy Redshifts. *ApJ*, 607, 655–660.
- Prantzos, N. and Silk, J. (1998). Star formation and chemical evolution in the milky way: Cosmological implications. *ApJ*, 507, 229–240.

- Quintero, A. D. *et al* (2004). Selection and photometric properties of K+A galaxies. *ApJ*, 602, 190–199.
- Rocha-Pinto, H. J., Scalo, J., Maciel, W. J., and Flynn, C. (2000). Chemical enrichment and star formation in the milky way disk. ii. star formation history. *A&A*, 358, 869–885.
- Rojas, R. R., Vogele, M. S., Hoyle, F., and Brinkmann, J. (2003). Photometric properties of void galaxies in the Sloan Digital Sky Survey. *ApJ*, 617, 50–63.
- Salo, H. and Laurikainen, E. (2000). N-body model for M51 I. Multiple encounter versus single passage? *MNRAS*, 319, 377–392.
- Sandage, A. (1961). *The Hubble Atlas of Galaxies*. Carnegie Institution, Washington.
- Sandage, A. and Bedke, J. (1994). *The Carnegie Atlas of Galaxies*. Carnegie Institution, Washington.
- Shen, S., Mo, H. J., White, S. D. M., Blanton, M. R., Kauffmann, G., Voges, W., Brinkmann, J., and Csabai, I. (2003). The size distribution of galaxies in the Sloan Digital Sky Survey. *MNRAS*, 343, 978–994.
- Skrutskie, M. F. *et al* (1997). The Two Micron All Sky Survey (2MASS): Overview and Status. In *ASSL Vol. 210: The Impact of Large Scale Near-IR Sky Surveys*, pages 25–??.
- Spergel, D. N. *et al* (2003). First-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: Determination of cosmological parameters. *ApJS*, 148, 175–194.
- Strauss, M. A. *et al* (2002). Spectroscopic target selection in the Sloan Digital Sky Survey: The Main Galaxy Sample. *AJ*, 124, 1810–1824.
- Struck, C. and Smith, B. J. (2003). Models of the morphology, kinematics, and star formation history of the prototypical collisional starburst system NGC 7714/7715 = ARP 284. *ApJ*, 589, 157–178.
- Tegmark, M. *et al* (2004a). Cosmological parameters from SDSS and WMAP. *Phys. Rev. D*, 69(10), 103501.
- Tegmark, M. *et al* (2004b). The Three-Dimensional Power Spectrum of Galaxies from the Sloan Digital Sky Survey. *ApJ*, 606, 702–740.
- Unavane, M., Wyse, R. F. G., and Gilmore, G. (1996). The merging history of the milky way. *MNRAS*, 278, 727–736.
- van Dokkum, P. G., Franx, M., Fabricant, D., Kelson, D. D., and Illingworth, G. D. (1999). A high merger fraction in the rich cluster MS 1054-03 at  $z = 0.83$ : Direct evidence for hierarchical formation of massive galaxies. *ApJ*, 520, L95–L98.

- Wherry, N., Blanton, M. R., and Hogg, D. W. (2004). A more informative picture of the HDF Ultra Deep Field. *astro-ph/0406274*.
- Whitmore, B. C., Zhang, Q., Leitherer, C., Fall, S. M., Schweizer, F., and Miller, B. W. (1999). The luminosity function of young star clusters in “the Antennae” galaxies (NGC 4038-4039). *AJ*, 118, 1551–1576.
- Willman, B., Blanton, M. R., West, A., Dalcanton, J., Hogg, D. W., Schneider, D. P., Wherry, N., Yanny, B., and Brinkmann, J. (2005). A new Milky Way companion: Unusual global cluster or extreme dwarf satellite? *AJ*, 129, 2692–2700.
- Worthey, G. (1998). Abundance Ratio Trends and Nucleosynthesis in Elliptical Galaxies and Spheroids. *PASP*, 110, 888–899.
- York, D. *et al* (2000). The Sloan Digital Sky Survey: Technical summary. *AJ*, 120, 1579–1587.
- Zehavi, I., Eisenstein, D. J., Nichol, R. C., Blanton, M. R., Hogg, D. W., Brinkmann, J., Loveday, J., Meiksin, A., Schneider, D. P., and Tegmark, M. (2005). The Intermediate-Scale Clustering of Luminous Red Galaxies. *ApJ*, 621, 22–31.
- Zehavi, I. *et al* (2002). Galaxy clustering in early Sloan Digital Sky Survey redshift data. *ApJ*, 571, 172–190.
- Zehavi, I. *et al* (2004). On departures from a power law in the galaxy correlation function. *ApJ*, 608, 16–24.